



DCT FLUID



LOREX W-DCT FLUID is a synthetic DCT (Dual Clutch Transmission) fluid, designed on the basis of high quality oils with a special additive and inhibition, which ensure a perfect function of the wet dual-clutch transmission.

RECOMMENDATIONS:

AUDI G052529 A2 S-TRONIC
MB 236.21/ 236.25
MITSUBISHI DIA QUEEN SSTF-I
MITSUBISHI MZ320065
VOLVO 1161838, 1161839
VW G 052 182 A2, G 052 513, G 055 529 A2
CITROËN/PEUGEOT 9734.S2
RENAULT EDC (EFFICIENCY DUAL CLUTCH SYSTEM)
FIAT 9.55550-MZ6 FOR TCT TWIN CLUTCH TRANSMISSION



CERTIFICATE OF ANALYSIS

TEST	METHODS	SPECIFICATIONS	RESULT	UNITS
Appearance	Visual	Clear	Clear	-
Color	ASTM D1500	Amber Yellow	Amber Yellow	-
Density @ 15°C	ASTM D4052	0.84-0.86	0.85	g/cm ³
Kinematic Viscosity @ 40°C	ASTM D445	26.0 - 30.0	28.5	cSt
Kinematic Viscosity @ 100°C	ASTM D445	6.5-6.9	6.75	cSt
Viscosity Index	ASTM D2270	170≤	180	°C
Flash Point	ASTM D92	220≤	228	°C
Pour Point	ASTM D5950	-40≥	-46	cP
Brookfield @ -40°C & 12.0 RPM	ASTM D2983	12000≥	12000	cP